

Price List 2025

Valid from 01.01.2025

Commercial Heating

flexible • quality • customer-oriented



Quintex GmbH

i_Park Tauberfranken 19
97922 Lauda-Königshofen Germany
Phone: +49 9343 6130 0
E-Mail: info@quintex.info
www.quintex.eu

Version 9.4



Proviso

We reserve the right to make technical changes. Changes, errors and literal errors do not justify any claim for damage compensation. For security components and systems, the relevant standards as well as the relevant operating and assembly instructions have to be followed.

This price list is replacing all former price lists. All prices es works, exclusive package and VAT.



Price List 2025 Commercial & Construction, valid from 01.01.2025

Type number	Description	List price Net
230V AC Self-Limiting Heating Tapes (277V AC max.)		
(Also available as 110V AC upon request)		
ILLw 102 CT/QX	Low Temperature Heating Tapes with Polyolefin Insulation, Tinned-Copper Earth Braiding & Polyolefin Outerjacket, withstand temperature (on/off) 85/85°C 10 W/m @ 10°C, 230V AC	13,90 €
ILLw 172 CT/QX	17 W/m @ 10°C, 230V AC	13,90 €
ILLw 252 CT/QX	25 W/m @ 10°C, 230V AC	14,60 €
ILLw 312 CT/QX	31 W/m @ 10°C, 230V AC	14,60 €
ILLw 402 CT/QX	40 W/m @ 10°C, 230V AC	14,60 €
Self-limiting low temperature heating tapes for gutters, roof surfaces and downpipe heating, max. temperature resistance (on/off) 85/85°C		
CLD 182 CT/QX	18W @ 0°C in air, 36W/m in ice water, UV resistant Polyolefin outer jacket	13,90 €
CLD 182 CF/QX	18W @ 0°C in air, 36W/m in ice water, UV resistant Fluoropolymer outer jacket	18,30 €
Commercial medium temperature heating tapes for hot water maintenance, max. temperature resistance (on/off) 100/100°C		
ILM 172 CT/QX	17 W/m @ 10°C, 230V AC	19,30 €
ILM 312 CT/QX	31 W/m @ 10°C, 230V AC	19,30 €
12V Selbstlimitierende Heizleitungen AC/DC		
Low Temperature Heating Tapes with Polyolefin Insulation, Tinned-Copper Earth Braiding & Polyolefin Outerjacket, withstand temperature (on/off) 85/85°C		
ILL 12S12 CT/QX	12 W/m @ 10°C, 12V AC/DC	16,10 €
ILL 17S12 CT/QX	17 W/m @ 10°C, 12V AC/DC	16,10 €
ILL 30S12 CT/QX	30 W/m @ 10°C, 12V AC/DC	17,70 €
12V Selbstlimitierende Heizleitungen AC/DC		
Low Temperature Heating Tapes with Polyolefin Insulation, Tinned-Copper Earth Braiding & Polyolefin Outerjacket, withstand temperature (on/off) 85/85°C		
ILL 12S24 CT/QX	12 W/m @ 10°C, 24V AC/DC	16,10 €
ILL 17S24 CT/QX	17 W/m @ 10°C, 24V AC/DC	16,10 €
ILL 30S24 CT/QX	30 W/m @ 10°C, 24V AC/DC	17,70 €
Termination Kits for Self Limiting Heating Tapes		
Termination Systems for use with Connection Cables or Splicing with ceramic terminal block for type CLD, ILLw, ILM heating tapes		
IAL3SK1	Powered & Remote end seals for Polyolefin outer sheath	21,30 €
IAL3SK1F	Powered & Remote end seals for Fluoropolymer outer sheath	25,20 €
IAL3VK1	In-line Splice (heating tape-heating tape) for Polyolefin outer sheath	19,30 €
IAL3VK1F	In-line Splice (heating tape - heating tape) for Fluoropolymer outer sheath	19,80 €
Remote End Seals for type CLD, ILLw, ILM heating tapes		
IAL3E	Remote End seal for Polyolefin (CT) outer sheath	5,00 €
IAL3E F	Remote End seal for Fluoropolymer (CF) outer sheath	8,80 €
Termination Systems with Remote End Seal & Powered End Seal complete with M20 PA Gland for type CLD, ILLw, ILM, ILH heating tapes with Polyolefin (CT) outer sheath, suitable for direct entry into JB's with 100mm long sleeves		
IAL3SAG1		12,40 €
Cold Applied Termination Systems for use with Connection Cables suitable for heating tapes CLD, ILL(w), ILM and other manufacturers htg. tapes, temperature range -40°C to +130°C		
IAL55A	Powered End Screw Terminal Block Connection Kit	26,40 €
IAL55E	Remote End Screw Terminal Block Connection Kit	20,80 €
IAL55S	Powered & Remote End Screw Terminal Block Connection Kit	45,50 €
IAL55V	In-line Splice Screw Terminal Block (heating tape-heating tape) Connection Kit	33,60 €
IAL5ST	T-Branch Screw Terminal Block Connection Kit (Powered or Un-Powered)	60,80 €
IAL5SC	Powered End Screw Terminal Block Connection Kit with IRM1 Mini-Thermostat, up to 16A @ 250V AC, temperature range -40/+125°C	107,20 €

Price List 2025 Commercial & Construction, valid from 01.01.2025

Type number	Description	List price Net
Junction Box		
AD3/PRO	Junction Box black, 92x92x60, IP66, 6x Terminals 2,5 mm ² , without cable gland	36,10 €
AD4	Junction Box black, 140x140x79, IP65, 4,0mm ² Terminals, without cable gland	68,10 €
AD7	Junction Box grey, 104x104x70, IP65, 4,0 mm ² Terminals, without cable gland	55,00 €
Installation Accessories		
ID1 S/B	Insulation entry kit complete with 60 x 60mm StSt plate, Polyester M20x1,5 cable gland & locknut, seals to suit ILL...S, ILLw, ILM heating tapes or round cables 4-8mm & 7-13mm diameter	12,00 €
Self-Adhesive Fixing Tapes		
ALK150	Aluminium adhesive tape, 50 mm width, 50 m length, up to 150 °C	25,10 €
ALK1 150	Aluminium adhesive tape, 50 mm width, 100 m length, up to 150 °C	40,60 €
ALK1 150m	Aluminium adhesive tape, 75 mm width, 100 m length, up to 150 °C	60,70 €
ALK1 150b	Aluminium adhesive tape, 100 mm width, 100 m length, up to 150 °C	81,00 €
GSK180	Glass fibre adhesive tape, 12 mm width, 50 m length, up to 180 °C	27,40 €
GSK180B	Glass fibre adhesive tape, 19 mm width, 50 m length, up to 180 °C	43,30 €
PEK100	Polyester adhesive tape, 19 mm width, 50 m length, up to 100 °C	6,50 €
GEK130	Fibre adhesive tape, 12 mm width, 50 m length, up to 130 °C	11,50 €
"Electrically Heated" Self-adhesive Over-insulation Caution Labels, 175mm x 80mm		
KZD	German "Elektrisch Beheizt"	1,40 €
KZE	English "Electrically Heated"	1,40 €
KZFR	French "Tracage Electrique"	1,40 €
KZS	Spanish "Calentado Eléctricamente"	1,40 €
KZF	Finnish "Varokaa sähkölämmitys"	1,40 €
KZR	Russian "Электрический обогрев"	1,40 €
KZP	Polish "Ogrzewanie elektryczne"	1,40 €
Stainless steel spacer for gutter heating tape		
AB_CLD_K	Spacer 250 x 25 x 2mm	5,70 €
AB_CLD_L	Spacer 1000 x 25 x 2mm	14,30 €
AB_CLD_XL	Spacer 2500 x 25 x 2mm	45,10 €
UV-resistant Polyester cable ties, black (pack of 100)		
PKB1	100 mm	4,80 €
PKB2	200 mm	8,60 €
Flexible Connection Cables (insulated Cores Blue/Brown/Green-Yellow)(price /m)		
AL1	Rubber connection cable 3C x 1,0 mm ² (-25/+60°C)	4,10 €
AL3	Rubber connection cable 3C x 1,5 mm ² (-25/+60°C)	5,30 €
AL4	Silicon connection cable 3C x 1,5 mm ² (-25/+60°C)	11,90 €
Stainless Steel Mounting Plates & Brackets		
MW 1	for JB's 122x120; 160x160; 110x75mm	83,30 €
MW 1S	for JB's 122x120; 160x160, 110x75mm (includes metal fixing straps for securing to pipes)	102,50 €
MW 2	for JB's 220 x 120mm	77,30 €
MW 2S	for JB's 220 x 120mm (includes metal fixing straps for securing to pipes)	97,20 €
MW 4	for JB's 110x75, 122x120mm	50,10 €
MW 4S	for JB's 110x75; 122x120; (includes metal fixing straps for securing to pipes)	76,80 €
MW 5	für Polyestergehäuse 160x160mm	63,70 €
MW 5S	for JB's 160x160mm, (includes metal fixing straps for securing to pipes)	90,40 €

Price List 2025 Commercial & Construction, valid from 01.01.2025

Type number	Description	List price Net
Mechanical Ambient Sensing Temperature Controllers		
IRM1/400	16A 250V AC Ambient Sensing Mini-Thermostats, Black M20 Gland IP66/68, Temperature Range 4°C/11°C (on/off) : with 400mm flying leads	34,80 €
IRM1AG/PRO	IRM1 in Polycarbonate Enclosure 92x92x60mm with 2.5mm ² clamps, 2x M20	63,00 €
IRM1AG/Poly	IRM1 in GRP Enclosure 110x75x55mm with 2.5mm ² terminals, 2x M20	101,90 €
Mechanical Temperature Controllers & Limiters in GRP Enclosures		
IRM040b	25A 250V AC, Industrial Non-Ex- Thermostat Controller, 1.6m Capillary & Bulb, 2,5mm ² clamps in a GRP enclosure 122x120x90mm, IP66 rated, 1x M25 & 2x M20 threaded cable entries with cable glands	167,80 €
IRM0120b	0...+40°C	167,80 €
IRM0200b	0...+120°C	167,80 €
0...+200°C		
Roof & Gutter Heating Mechanical Controller		
CRM-20/+30	Dual Control Thermostat contained in Polycarbonate enclosure, -20 to +30°C; 16A; 230V AC	210,50 €
Electronic Temperature Controllers		
CRE16 DS	DIN rail TS35 mounted controller with 2no c/o contacts (16A/250V & 8A/230V) c/w 4m long NTC temperature probe, 90x53x61mm	202,50 €
CRE16 AG	CRE16 DS mounted in Polyester Enclosure c/w inspection window	285,30 €
IRE60PTC	Temperature Controller with Polyester Enclosure, Set-Point 0-60°C, 16A/230V, c/w 4m long PTC temperature probe	273,10 €
Roof & Gutter Heating Sensor & Controller		
CREM-ST	Controller for Temperature, Snow & Ice monitoring (single unit)	739,20 €
CREM-SS	Snow and Ice Detector Probes for CREM-ST above (singel unit)	178,60 €
CREM-TF	Temperature probe for CREM-ST above (single unit)	47,50 €
CREM1	Full Controller with for Temperature, Snow & Ice monitoring complete with Temperature probe & Snow and Ice probe as a complete Set	1.340,90 €

Price List 2025 Commercial & Construction, valid from 01.01.2025

Type number	Description	List price
		Net
Factory Assembled Heating Circuits		
Koi-Carp Pond Heating Sets complete with Controller, Temperature Probe, 3m Supply Cable with Plug and Ready Assembled circuit		
KTS03	3m	317,50
KTS05	5m	341,60
KTS06	6m	353,70
KTS08	8m	377,80
KTS10	10m	401,80
KTS12	12m	425,90
KTS15	15m	462,00
KTS20	20m	522,20
KTS30	30m	642,70
KTS40	40m (with 20A Contactor)	886,60
KTS50	50m (with 20A Contactor)	1000,90
KTS60	60m (with 20A Contactor)	1115,20
Ready Assembled Heating Circuit c/w In-Line Thermostat, 3m Supply Cable & Plug for Frost Protection Applications of Pipelines or Cold-Sensitive Plants		
ILLw102CTK1	1m	85,30
ILLw102CTK2	2m	97,40
ILLw102CTK3	3m	109,40
ILLw102CTK4	4m	121,40
ILLw102CTK5	5m	133,50
ILLw102CTK6	6m	145,50
ILLw102CTK7	7m	157,60
ILLw102CTK8	8m	169,60
ILLw102CTK9	9m	181,70
ILLw102CTK10	10m	193,70
ILLw102CTK12	12m	217,80
ILLw102CTK14	14m	241,90
ILLw102CTK16	16m	265,90
ILLw102CTK18	18m	290,00
ILLw102CTK20	20m	314,20
Ready Assembled Heating Circuit c/w In-Line Thermostat, 3m Supply Cable & Plug for Roof, Gutter and Drain Pipe Frost Protection		
CLD182CTK1	1m	92,20
CLD182CTK2	2m	104,20
CLD182CTK3	3m	116,30
CLD182CTK4	4m	135,20
CLD182CTK5	5m	147,30
CLD182CTK6	6m	159,30
CLD182CTK7	7m	178,20
CLD182CTK8	8m	190,30
CLD182CTK9	9m	202,30
CLD182CTK10	10m	221,20
CLD182CTK11	11m	233,30
CLD182CTK12	12m	245,40
CLD182CTK13	13m	264,20
CLD182CTK14	14m	276,30
CLD182CTK15	15m	288,40
CLD182CTK16	16m	300,40
CLD182CTK17	17m	312,50
CLD182CTK18	18m	331,40
CLD182CTK19	19m	343,40
CLD182CTK20	20m	355,50

Alternatives available upon special request
